

Name Jared Tebo Date Jan 2013 Truck WCRC Event Reedy

Front Suspension

Shock stay hight: .5 mm

Spacer: 0 mm

Shock Stay: LA216B(SP) LA216HB

Ride Height: 20.5 mm

Camber Angle: -1 °

Toe Angle: -1 °

Sway Bar: _____

Front Diff: Rigid Oneway Differential, Setting: Loose

Bump Steer Spacer: -1 mm LA246 Low Mount

Caster Block: 7° 10°

Sus. Holder Spacer: Front _____ Rear _____

Axle-Height Spacer: Up Down

Bellcrank Spacer: _____ mm

Rear Suspension

Shock stay hight: 0 mm

Spacer: 1 mm

Shock Stay: LA217(SP) LA217H

Wing Height: _____

Camber Angle: -1 °

Sway Bar: 1.2

Sus. Holder(RF): IN OUT A

Sus. Holder(RR): IN OUT E

Ride Height: 20.5 mm

Spacer: 1 mm

Wheel Spacer: _____ mm

Hub Spacer: F: 0 mm R: 2 mm

Rear Sus. Arm: LA272(UM566,UM521)(SP) UM521-1(1-Hole) LA255

Rear Hub add Toe: 0°Type-B(UM519) 0°Type-B2(UM516-2) 0°Alu(UMW516-0) 0.5°Alu(UMW516-05) 1°Alu(UMW516-1)

Sus. Holder Spacer: Front _____ Rear _____

Shock

	Front	Rear
Shock Piston:	<u>4 X 55</u>	<u>4 X 55</u>
Shock Oil:	# <u>35</u>	# <u>25</u>
Shock Spring:	<u>Yellow</u>	<u>Gold</u>
Limiters:	in mm _____ out mm _____	in 2.75mm _____ out mm _____
Shock Length(A):	<u>19</u> mm	<u>25.5</u> mm
Shock Top Type:	<input type="checkbox"/> Std:RB5 <input type="checkbox"/> Low:ZX5FS	<input type="checkbox"/> Std:RB5 <input type="checkbox"/> Low:ZX5FS
5.8mm Ball End:	Front: <input type="checkbox"/> S <input checked="" type="checkbox"/> M <input type="checkbox"/> L	Rear: <input type="checkbox"/> S <input checked="" type="checkbox"/> M <input type="checkbox"/> L

Tire

	Front	Rear
Tire:	<u>Hand Out</u>	<u>Hand Out</u>
Inserts:	<u>Hand Out</u>	<u>Hand Out</u>
Wheel:	<u>AKA</u>	<u>AKA</u>
Traction Compound:	_____	_____

Electronics

Motor: Orion 6.5

Pinion/Spur: 18/78

Battery: Orion 5500

ESC: Orion R10

Radio: KO

Servo: KO RSx one 10

Throttle/Brake: _____

EPA: 100/90 Expo: _____

Initial brake: 0

Drag brake: 0

Throttle profile: 4

Steering expo: _____

Steering speed: _____

Kind in spring

Soft ↑	Pink
	White
	Gold
	Red
	Yellow
	Orange
Hard ↓	Green

Sway Bar

1.0	White
1.1	Pink
1.2	Red
1.3	Orange
1.4	Yellow
1.5	Blue
1.6	Green

Body/Wing/Other

Body: PL Bulldog

Wing: Step 2.0

Lip hight: 20mm

Wing Angle: 4° 7° 10°

Battery Post: Pla Alu

Slipper Type: Direct Separates

Slipper Sheet(F-R): Red-White Red-Red White-White

Center Post: Pla Alu

Back bone screw: F R

Comments

F&R arms 2mm short wheelbase

Carbon Top Deck LAW44

40g Weight in the rear

<input checked="" type="checkbox"/> Smooth	<input type="checkbox"/> Sandy
<input type="checkbox"/> Bumpy	<input type="checkbox"/> Soft Dirt
<input type="checkbox"/> Low Truction	<input type="checkbox"/> Grass
<input checked="" type="checkbox"/> Med. Truction	<input checked="" type="checkbox"/> wet
<input type="checkbox"/> Higt Truction	<input type="checkbox"/> Dry
<input type="checkbox"/> Blue Groore	<input type="checkbox"/> Dusty
<input checked="" type="checkbox"/> Clay	<input type="checkbox"/> Other